



LCD Shelf Signage

DC03-S1W23
DC03-S1W24

DC03-S1W28
DC03-S1W29

DC03-S1W35
DC03-S1W37

LCD shelf display is a commercial display products with an ultra-wide LCD screen. In order to install on different sizes of shelf, it has various sizes of displays. It can be widely used to show the advertisements at retail industry, which aims to help shops improve the experience of shopping and shops turnover.

Key Features



ADSDS Panel Technology



300 nits High Brightness



Fine-tune Uniformity



Slim Design with Narrow Bezel



Full Metal Shell


Applications



Supermarket



Cosmetic Store



Clothing Store



Optical Store

Specifications

Display						
Model	DG02-A1W23	DG02-A1W24	DG02-A1W28	DG03-S1W29	DG03-S1W35	DG02-A1W37
Screen Size	23.1 inch	24 inch	27 inch	29 inch	35 inch	37 inch
Resolution	1920*158	1920*360	1920*360	1920*540	1920*540	1920*540
Brightness	400cd/m ²	300cd/m ²	700cd/m ²	700cd/m ²	500cd/m ²	700cd/m ²
Backlight	WLED	WLED	WLED	WLED	WLED	WLED
Contrast Ratio	3000:1	1200:1	1200:1	1200:1	1000:1	1000:1
Viewing Angle(H/V)	178° x 178°	178° x 179°	178° x 180°	178° x 181°	178° x 182°	178° x 183°
Backlight Life	30000 hours	30001 hours	50000 hours	50000 hours	50000 hours	50000 hours
CPU						
CPU	PX30	PX30	PX30	PX30	PX30	PX30
OS	Android 8.1	Android 8.1	Android 8.1	Android 8.1	Android 9.0	Android 8.1
Memory						
RAM	1G DDR3	1G DDR3	1G DDR3	1G DDR3	1G DDR3	1G DDR3
ROM	8G EMMC	8G EMMC	8G EMMC	8G EMMC	8G EMMC	8G EMMC
Internal Player						
I/O Interface	1*micro USB (OTG), 1*TF card, 1*Type-c	1*micro USB (OTG), 1*TF card,	1*micro USB (OTG), 1*TF card,	1*micro USB (OTG), 1*TF card,	2*micro USB (OTG), 1*TF card, 2*Type-c	1 x TF card, 2x USB (One compatible OTG-microUSB), 1*Type-c
Power						
Power supply	DC 12V/3A	DC 12V/3A	DC 12V/3A	DC 12V/3A	DC 12V/3A	100-240v (50/60Hz)
Power consumption	≤18W	≤25W	≤30W	≤30W	≤23W	≤60W
Environment						
Operation temperature	0 ~ 50 °C	0 ~ 50 °C	0 ~ 50 °C	0 ~ 50 °C	0 ~ 50 °C	0 ~ 50 °C
Operation humidity	10%~85%	10%~85%	10%~85%	10%~85%	10%~85%	10%~85%
Physical						
Product Size	597.4*60.4*15.7mm	617.5*137.0*27.2mm	736*69.5*28.2mm	720.8*226.5*40.2mm	891.6*60.4*27.0mm	915*281*46mm
Installation	wall-mounted	wall-mounted	wall-mounted	wall-mounted	wall-mounted	wall-mounted
G.W	1.13kg	2.100kg	5.05kg	4.78kg	1.53kg	10.35kg
Package size	820*300*140mm	695*275*235mm	820*215*310mm	830*210*300mm	1120*320*1300mm	1000*210*3750mm
Package G.W	5.55KG(5 units)	11.95KG(4 units)	10.05KG(2 units)	9.55KG(2 units)	7.55KG(5 units)	20.65KG(2 units)

